

Duane Morris

DUANE MORRIS LLP
ONE LIBERTY PLACE
PHILADELPHIA, PA 19103-7396
PHONE: 215.979.1000
FAX: 215.979.1020

RECEIVED
CENTRAL FAX CENTER

MAR 16 2004

OFFICIAL**FACSIMILE TRANSMITTAL SHEET**

TO: Examiner Amanda H. Merlino
Group Art Unit: 2877
Serial No.: 09/489,461
Attorney Docket No.: N1161-00021
In re: Nguyen et al

FIRM/COMPANY: U.S. Patent and Trademark Office

FACSIMILE NUMBER: 703-872-9306

**CONFIRMATION
TELEPHONE:** 541-272-2421

FROM: Joseph A. Powers

DIRECT DIAL: 215.979.1842

DATE: March 16, 2004

USER NUMBER: 1507

FILE NUMBER: N1161-00021

TOTAL # OF PAGES: 10
(INCLUDING COVERSHEET)

MESSAGE:

NOTE: Original will NOT follow.

CONFIDENTIALITY NOTICE

THIS FACSIMILE TRANSMISSION IS PRIVILEGED AND CONFIDENTIAL AND IS INTENDED ONLY FOR THE REVIEW OF THE PARTY TO WHOM IT IS ADDRESSED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE IMMEDIATELY TELEPHONE THE SENDER ABOVE TO ARRANGE FOR ITS RETURN, AND IT SHALL NOT CONSTITUTE WAIVER OF THE ATTORNEY-CLIENT PRIVILEGE.

If there is a problem with this transmission, please call us as soon as possible at 215.979.1021.

PHI\1182740.1

MAR 16 2004

002

OFFICIAL

PATENT

ATTORNEY DOCKET NO.: N1161-00021

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Nguyen et al.

Examiner: Amanda H. Merlino

Serial No.: 09/489,461

Group Art Unit: 2877


Filed: January 21, 2000

Confirmation No.: 5879

For: AUTOMATIC IN SITU PELLICLE HEIGHT MEASUREMENT SYSTEM

CERTIFICATION UNDER 37 CFR § 1.8

I hereby certify that this correspondence and the documents referred to as attached therein are being sent via facsimile transmission to 703-872-9306 under 37 C.F.R. §1.8.

March 16, 2004
Date

JOSEPH A. POWERS, Registration No. 47,006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

SECOND REPLY AFTER FINAL UNDER 37 C.F.R. § 1.116

I. Introductory Comments

The following remarks are responsive to the Final Official Action dated December 30, 2003.